Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 34

NUMBER 4

JANUARY 24, 1919

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Epidemic influenza—Prevalence in the United States 103
Code of lighting for factories, mills, and other work places 103
Food shops find that sanitation pays 124
The transmission of influenza 124
Antivenerial disease work in Michigan 125

PREVALENCE OF DISEASE.

United States:
- Extracantonment zones—Cases reported week ended January 18 126
- Disease conditions among troops in the United States 130
- Current State summaries—
  - Telegraphic reports for week ended January 18, 1919 133
- Cerebrospinal meningitis—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 136
  - State reports for December, 1918 136
  - City reports for week ended January 4, 1919 136
- Chancroid—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 136
- Diphtheria—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 137
- Gonorrhea—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 137
- Influenza—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 137
- Malaria—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 138
  - City reports for week ended January 4, 1919 138
- Measles—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 138
- Pellagra—
  - City reports for week ended January 4, 1919 138
- Pneumonia—
  - Cases reported in extra-cantonment zones, week ended January 18, 1919 138
  - City reports for week ended January 4, 1919 139
- Poliomyelitis (infantile paralysis)—
  - State reports for December, 1918 140
  - City reports for week ended January 4, 1919 140
- Rabies in animals—
  - City reports for week ended January 4, 1919 140

United States—Continued.
Scarlet fever—
Page.
Cases reported in extra-cantonment zones, week ended January 18, 1919 140
Smallpox—
Cases reported in extra-cantonment zones, week ended January 18, 1919 141
State reports for December, 1918—Vaccination histories 141
Montana report for December, 1918 141
City reports for week ended January 4, 1919 142
Syphilis—
Cases reported in extra-cantonment zones, week ended January 18, 1919 142
Tetanus—
City reports for week ended January 4, 1919 142
Tuberculosis—
Cases reported in extra-cantonment zones, week ended January 18, 1919 142
Typhoid fever—
Cases reported in extra-cantonment zones, week ended January 18, 1919 143
State reports for December, 1918 143
City reports for week ended January 4, 1919 144
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for December, 1918 144
City reports for week ended January 4, 1919 144
Foreign:
Brazil—
Influenza—Bahia—Interior of State 150
Mortality, September 1–October 31, 1918—Bahia 150
Dominican Republic—
Further relative to influenza 150
Great Britain—
Epidemic influenza—Nottingham 150
Examination of rats—Liverpool 151
Madagascar—
Quarantine against South Africa for influenza 151
Society Islands—
Influenza 151
Switzerland—
Correction 151
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended January 24, 1919—
Cholera 152
Plague 152
Smallpox 152
Typhus fever 153
Yellow fever 153
Reports received from December 28, 1918, to January 17, 1919—
Cholera 153
Plague 154
Smallpox 154
Typhus fever 155
Yellow fever 155